

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ICON 10 WP

Design code : A12684L

#### Manufacturer or supplier's details

Company : Syngenta India Limited

Address : Amar Paradigm, Sr. No. 110/11/3, Baner Road  
Pune -411 045  
India

Telephone : 020 30699533

Emergency telephone number : Toll Free (India) – 1800 200 1310

Telefax : 020 30699480

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Toxic

##### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

##### GHS label elements

## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H302 Harmful if swallowed.  
H316 Causes mild skin irritation.  
H318 Causes serious eye damage.  
H331 Toxic if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

**Prevention:**

P261 Avoid breathing dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.

**Response:**

P301 + P317 + P330 IF SWALLOWED: Get medical help.  
Rinse mouth.  
P304 + P340 + P316 IF INHALED: Remove person to fresh air  
and keep comfortable for breathing. Get emergency medical  
help immediately.  
P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse  
with water for several minutes. Remove contact lenses, if pre-  
sent and easy to do. Continue rinsing. Get medical help.  
P332 + P317 If skin irritation occurs: Get medical help.  
P391 Collect spillage.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container  
tightly closed.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste  
disposal plant.

**Other hazards which do not result in classification**

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

**Components**

| Chemical name               | CAS-No.   | Concentration (% w/w) |
|-----------------------------|-----------|-----------------------|
| silicic acid, aluminum salt | 1332-58-7 | >= 70 - < 90          |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

|                                                  |            |              |
|--------------------------------------------------|------------|--------------|
| lambda-cyhalothrin (ISO)                         | 91465-08-6 | >= 10 - < 20 |
| sulfuric acid mono C10 - C16 ester sodium salt   | 68585-47-7 | >= 3 - < 10  |
| lignosulfonic acid, sodium salt, sulfomethylated | 68512-34-5 | >= 1 - < 10  |

### 4. FIRST AID MEASURES

|                                                             |                                                                                                                                                                                                         |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.                                      |
| If inhaled                                                  | : Move the victim to fresh air.<br>If breathing is irregular or stopped, administer artificial respiration.<br>Keep patient warm and at rest.<br>Call a physician or poison control centre immediately. |
| In case of skin contact                                     | : Take off contaminated clothing and shoes immediately.<br>Wash off immediately with plenty of water.<br>If skin irritation persists, call a physician.<br>Wash contaminated clothing before re-use.    |
| In case of eye contact                                      | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Immediate medical attention is required.                                        |
| If swallowed                                                | : If swallowed, seek medical advice immediately and show this container or label.<br>Do NOT induce vomiting.                                                                                            |
| Most important symptoms and effects, both acute and delayed | : Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.                                                                                      |
| Notes to physician                                          | : There is no specific antidote available.<br>Treat symptomatically.                                                                                                                                    |

### 5. FIREFIGHTING MEASURES

|                                       |                                                                                                                                                                                                                              |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media          | : Extinguishing media - small fires<br>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.<br>Extinguishing media - large fires<br>Alcohol-resistant foam<br>or<br>Water spray                          |
| Unsuitable extinguishing media        | : Do not use a solid water stream as it may scatter and spread fire.                                                                                                                                                         |
| Specific hazards during fire-fighting | : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).<br>Exposure to decomposition products may be a hazard to health. |
| Hazardous combustion products         | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Chlorine compounds<br>Fluorine compounds                                                                                                                            |

## ICON 10 WP

|                |                              |                           |                                                                   |
|----------------|------------------------------|---------------------------|-------------------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>11.11.2024 | SDS Number:<br>S154202172 | Date of last issue: 19.07.2022<br>Date of first issue: 19.07.2022 |
|----------------|------------------------------|---------------------------|-------------------------------------------------------------------|

Sulphur oxides

Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid dust formation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).  
Do not create a powder cloud by using a brush or compressed air.  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                  | CAS-No.   | Value type<br>(Form of exposure)    | Control parameters / Permissible concentration | Basis |
|-----------------------------|-----------|-------------------------------------|------------------------------------------------|-------|
| silicic acid, aluminum salt | 1332-58-7 | TWA (Respirable particulate matter) | 2 mg/m <sup>3</sup>                            | ACGIH |

## ICON 10 WP

|                |                              |                           |                                                                   |
|----------------|------------------------------|---------------------------|-------------------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>11.11.2024 | SDS Number:<br>S154202172 | Date of last issue: 19.07.2022<br>Date of first issue: 19.07.2022 |
|----------------|------------------------------|---------------------------|-------------------------------------------------------------------|

|                          |            |     |                                  |          |
|--------------------------|------------|-----|----------------------------------|----------|
| lambda-cyhalothrin (ISO) | 91465-08-6 | TWA | 0.04 mg/m <sup>3</sup><br>(Skin) | Syngenta |
|--------------------------|------------|-----|----------------------------------|----------|

**Engineering measures** : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

#### Hand protection

**Material** : Nitrile rubber  
**Break through time** : > 480 min  
**Glove thickness** : 0.5 mm

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Face-shield

**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Dust impervious protective suit

**Protective measures** : The use of technical measures should always have priority

## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                  |   |                                           |
|--------------------------------------------------|---|-------------------------------------------|
| Appearance                                       | : | powder                                    |
| Colour                                           | : | off-white                                 |
| Odour                                            | : | No data available                         |
| Odour Threshold                                  | : | No data available                         |
| pH                                               | : | 5.5 - 9.0<br>Concentration: 1 %w/v        |
| Melting point/freezing point                     | : | No data available                         |
| Initial boiling point and boiling range          | : | No data available                         |
| Flash point                                      | : | Method: Seta closed cup<br>does not flash |
| Evaporation rate                                 | : | No data available                         |
| Flammability (solid, gas)                        | : | No data available                         |
| Upper explosion limit / Upper flammability limit | : | No data available                         |
| Lower explosion limit / Lower flammability limit | : | No data available                         |
| Vapour pressure                                  | : | No data available                         |
| Relative vapour density                          | : | No data available                         |
| Density                                          | : | No data available                         |
| Bulk density                                     | : | 385 - 585 g/l                             |
| Solubility(ies)<br>Solubility in other solvents  | : | No data available                         |
| Partition coefficient: n-octanol/water           | : | No data available                         |
| Auto-ignition temperature                        | : | No data available                         |
| Decomposition temperature                        | : | No data available                         |
| Viscosity<br>Viscosity, kinematic                | : | No data available                         |

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50(Rat, male): 564 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50(Rat, male): 0.642 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50(Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

##### Components:

##### **silicic acid, aluminum salt:**

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

tion toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

### **lambda-cyhalothrin (ISO):**

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg

### **sulfuric acid mono C10 - C16 ester sodium salt:**

Acute oral toxicity : LD50 (Rat): > 300 - < 2,000 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 - < 5,000 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

### **lignosulfonic acid, sodium salt, sulfomethylated:**

Acute oral toxicity : LD50 (Rat): 10,000 mg/kg

### **Skin corrosion/irritation**

#### **Components:**

#### **silicic acid, aluminum salt:**

Result : No skin irritation

#### **lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : No skin irritation

#### **sulfuric acid mono C10 - C16 ester sodium salt:**

Species : Rabbit  
Result : Irritating to skin.  
Remarks : Information given is based on data obtained from similar substances.

#### **lignosulfonic acid, sodium salt, sulfomethylated:**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

Result : No skin irritation

### Serious eye damage/eye irritation

#### Components:

##### **silicic acid, aluminum salt:**

Result : No eye irritation

##### **lambda-cyhalothrin (ISO):**

Species : Rabbit

Result : No eye irritation

##### **sulfuric acid mono C10 - C16 ester sodium salt:**

Species : Rabbit

Result : Risk of serious damage to eyes.

Remarks : Information given is based on data obtained from similar substances.

##### **lignosulfonic acid, sodium salt, sulfomethylated:**

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Product:

Test Type : Buehler Test

Species : Guinea pig

Result : Does not cause skin sensitisation.

Remarks : Based on data from similar materials

#### Components:

##### **silicic acid, aluminum salt:**

Result : Does not cause skin sensitisation.

Result : Does not cause respiratory sensitisation.

##### **lambda-cyhalothrin (ISO):**

Test Type : Maximisation Test

Species : Guinea pig

Result : Does not cause skin sensitisation.

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitisation.

##### **lignosulfonic acid, sodium salt, sulfomethylated:**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

Species : Guinea pig  
Result : Not a skin sensitizer.

### Germ cell mutagenicity

#### Components:

##### **silicic acid, aluminum salt:**

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ  
Assessment cell mutagen.

##### **lambda-cyhalothrin (ISO):**

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.  
Assessment

##### **lignosulfonic acid, sodium salt, sulfomethylated:**

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects  
Assessment

### Carcinogenicity

#### Components:

##### **silicic acid, aluminum salt:**

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-  
ment cinogen

##### **lambda-cyhalothrin (ISO):**

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-  
ment cinogen

### Reproductive toxicity

#### Components:

##### **silicic acid, aluminum salt:**

Reproductive toxicity - As- : No evidence of adverse effects on sexual function and fertility,  
sessment or on development, based on animal experiments., No effects  
on or via lactation

##### **lambda-cyhalothrin (ISO):**

Reproductive toxicity - As- : Weight of evidence does not support classification for repro-  
sessment ductive toxicity

### STOT - single exposure

#### Components:

##### **silicic acid, aluminum salt:**

Assessment : The substance or mixture is not classified as specific target  
organ toxicant, single exposure.

## ICON 10 WP

|                |                              |                           |                                                                   |
|----------------|------------------------------|---------------------------|-------------------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>11.11.2024 | SDS Number:<br>S154202172 | Date of last issue: 19.07.2022<br>Date of first issue: 19.07.2022 |
|----------------|------------------------------|---------------------------|-------------------------------------------------------------------|

### **lambda-cyhalothrin (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **sulfuric acid mono C10 - C16 ester sodium salt:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Remarks : Information given is based on data obtained from similar substances.

### **STOT - repeated exposure**

#### **Components:**

#### **silicic acid, aluminum salt:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **lambda-cyhalothrin (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Aspiration toxicity**

#### **Components:**

#### **silicic acid, aluminum salt:**

No aspiration toxicity classification

### **Further information**

#### **Product:**

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

#### **Components:**

#### **lambda-cyhalothrin (ISO):**

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **lambda-cyhalothrin (ISO):**

|                                                                        |   |                                                                                               |
|------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : | LC50 (Leuciscus idus (Golden orfe)): 0.000078 mg/l<br>Exposure time: 96 h                     |
|                                                                        |   | LC50 (Ictalurus punctatus (channel catfish)): 0.00016 mg/l<br>Exposure time: 96 h             |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): 0.00036 mg/l<br>Exposure time: 48 h                        |
|                                                                        |   | LC50 (Americamysis): 0.000007 mg/l<br>Exposure time: 48 h                                     |
|                                                                        |   | EC50 (Hyalella azteca (Amphipod)): 0.000002 mg/l<br>Exposure time: 48 h                       |
| Toxicity to algae/aquatic plants                                       | : | ErC50 ( Raphidocelis subcapitata (freshwater green alga)): > 0.31 mg/l<br>Exposure time: 96 h |
| M-Factor (Acute aquatic toxicity)                                      | : | 100,000                                                                                       |
| Toxicity to microorganisms                                             | : | EC50 (activated sludge): > 100 mg/l<br>Exposure time: 3 h                                     |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC: 0.000031 mg/l<br>Exposure time: 300 d<br>Species: Pimephales promelas (fathead minnow)  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0.000002 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)             |
|                                                                        |   | NOEC: 0.00022 µg/l<br>Exposure time: 28 d<br>Species: Americamysis                            |
| M-Factor (Chronic aquatic toxicity)                                    | : | 100,000                                                                                       |

##### **sulfuric acid mono C10 - C16 ester sodium salt:**

|                  |   |                                                                                                                                                                     |
|------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - < 10 mg/l<br>Exposure time: 96 h<br>Remarks: Information given is based on data obtained from similar substances. |
|------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - < 10 mg/l  
Exposure time: 48 h  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : EC50 ( Desmodesmus subspicatus (green algae)): > 10 - < 100 mg/l  
Exposure time: 72 h  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - < 1 mg/l  
Exposure time: 7 d  
Species: Ceriodaphnia dubia (Water flea)  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **lambda-cyhalothrin (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 7 d  
Remarks: Product is not persistent.

##### **sulfuric acid mono C10 - C16 ester sodium salt:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Information given is based on data obtained from similar substances.

##### **lignosulfonic acid, sodium salt, sulfomethylated:**

Biodegradability : Result: Not readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **lambda-cyhalothrin (ISO):**

Bioaccumulation : Remarks: Bioaccumulates

### Mobility in soil

#### Components:

##### **lambda-cyhalothrin (ISO):**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 56 d

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

Percentage dissipation: 50 % (DT50)

Remarks: Product is not persistent.

### Other adverse effects

#### Components:

#### **lambda-cyhalothrin (ISO):**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(LAMBDA-CYHALOTHRIN)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### **IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(LAMBDA-CYHALOTHRIN)

Class : 9  
Packing group : III

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (LAMBDA-CYHALOTHRIN)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

None known.

## 16. OTHER INFORMATION

Revision Date : 11.11.2024  
Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
Syngenta : Syngenta Occupational Exposure Limit

ACGIH / TWA : 8-hour, time-weighted average  
Syngenta / TWA : Time weighted average

# SAFETY DATA SHEET

according to the Globally Harmonized System



## ICON 10 WP

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 19.07.2022  |
| 1.1     | 11.11.2024     | S154202172  | Date of first issue: 19.07.2022 |

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IN / EN